World Environmental Solutions Pty Ltd (Australia)

ATMOSPHERIC WATER GENERATOR WES 15 WES 30 WES 60

- Chlorine free
- Fluoride free
- Bacteria free
- BPA free

- Four stage filtration
- Inbuilt UV sterilization
- pH balanced (7.2 7.8)
- Low Humidity/Temperature auto off power save feature

WATER STRAIGHT FROM THE ATMOSPHERE

Designed for Australian Conditions

WES 15

WES 15 SPECIFICATIONS:

Power Usage: 110/240v

Water Production Power: 350 Watts

6 Litre Storage Tank

Working Temperatures: 14 - 40°C

Working Humidity: 33-95 %

Unit Weight: 32kg

Unit Dimensions (mm): 45 x 45x 56

15L per day water extracted from air at 80%

humidity 30C

Frequency: 50/60 hz

Room temperature water

Leak detector alarm

Change filters alarm

Electrostatic air filter

Solar power kit available





WES 30

WES 30 SPECIFICATIONS:

Product Capacity: 30L per day (at 80% humidity; 30°C) Storage Capacity: 15L

Power Usage: 110/220v Frequency: 50/60 hz

Water Production Power: 375w Water Temperature: 4 - 95°C Working Temperature: 14 - 40°C Working Humidity: 33 - 95%

Unit Weight: 48kg

Unit Dimensions (mm): 400 x 400 x 1120

Cold and room temperature option

Solar power kit available

Clean. Simple. Renewable. Sustainable. Ph: 0423 680 076

Email: sales@offgridlifestylesolutions.com.au

www.offgridlifestylesolutions.com.au

WATER STRAIGHT FROM THE ATMOSPHERE

Designed for Australian Conditions

WES 60

WES 60 SPECIFICATIONS:

Power Usage: 110/220V Frequency: 50Hz/60 Hz

Water Production Power: 775W Working Temperature: 15 - 40°C Working Humidity: 33 - 95%

Weight: 90kg Noise Level: <79 db

Dimensions (cm): 59 x 59 x 111

Storage Capacity: 45L

Water Production per Day: 60L

(at 80% humidity; 30°C) Hot and cold water option

Solar power kit available



WES 60 PRODUCES 60 LITRES
WITH INTERNAL STORAGE FOR 45 LITRES